

HSI-TD

HSI-TD 2000W/D CABLE SLV

0020339



PRODUCT OVERVIEW

Product name	HSI-TD 2000W/D CABLE SLV
Technology	HID
Watt (Rated) (W)	1950
Cap/Base	Cable
Lamp finish	Clear
Fixture rating	Enclosed
General application	Logistics & Industry
ETIM Class	EC000037
E-number FI	4844780
E-number SE	8359159
E-number Norway	3800746
Luminous flux (lm)	200000
Colour temperature (K)	5900
CRI (Ra)	80
Wattage (W)	2000
Product Voltage (V)	205
Average life (Nominal) (h)	4000
Product EAN number	5410288203393

DATA TABLE

General data

Product name	HSI-TD 2000W/D CABLE SLV
Technology	HID
Watt (Rated) (W)	1950
Cap/Base	Cable
Lamp finish	Clear
Fixture rating	Enclosed
General application	Logistics & Industry
ETIM Class	EC000037
E-number FI	4844780
E-number SE	8359159
E-number Norway	3800746

Optical data

Luminous flux (lm)	200000
--------------------	--------

HSI-TD

HSI-TD 2000W/D CABLE SLV

0020339

Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	5900
CRI (Ra)	80
Adjustable chromaticity	N

Electrical data

Wattage (W)	2000
Current (A)	11.3
Product Voltage (V)	205
Control gear required	kyllä
Transformer required	No
kWh per 1000 hours burning time	2145

Lifetime data

Average life (Nominal) (h)	4000
Average life (Rated) (h)	4000

Physical data

Max. Lamp Diameter (mm) - D	36
Weight (kg)	0.065

Packaging

Single packaging type	Carton
Product EAN number	5410288203393
Packaging single length / height (cm)	30.0
Packaging single width (cm)	8.0
Packaging single depth (cm)	8.0
DUN14 (outer)	15410288203390
Units per outer package	10
Packaging outer length / height (cm)	44.0
Packaging outer width (cm)	32.0
Packaging outer depth (cm)	19.0

Safety data

Lamp mercury content (mg)	144.00
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	No
Suitable for household illumination	No

TECHNICAL DRAWINGS

