

# Specifications

## Eaton 168868

Eaton Distribution parts. Phase busbar, 3-phase, 10qmm, pin, 1m, 1MU



Photo is representative

### General specifications

<b>PRODUCT NAME</b>	Eaton Distribution parts
<b>CATALOG NUMBER</b>	168868
<b>EAN</b>	4015081653607
<b>PRODUCT LENGTH/DEPTH</b>	1012 mm
<b>PRODUCT HEIGHT</b>	35 mm
<b>PRODUCT WIDTH</b>	15 mm
<b>PRODUCT WEIGHT</b>	0.515 kg
<b>COMPLIANCES</b>	RoHS conform

## Product specifications

USED WITH	Busbar BB-EV
TYPE	<ul style="list-style-type: none"><li>• BB-EV</li><li>• Busbar</li></ul>
FEATURES	Insulated Can be cut to size
ACCESSORY/SPARE PART TYPE	Busbar for residual current circuit breakers Busbar for TVSS Busbar for combined residual current/power circuit breaker Busbar for miniature circuit breaker
ELECTRIC CONNECTION TYPE	Pin
RATED SURGE VOLTAGE	4.5 kV
RATED UNINTERRUPTED CURRENT (IU)	63 A
SUITABLE FOR NUMBER OF DEVICES	2
APPLICATION	Switchgear for industrial and advanced commercial applications
NUMBER OF POLES	Three-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
CROSS SECTION	10 mm <sup>2</sup>
NUMBER OF MODULAR SPACINGS	1
NUMBER OF PHASES	3
PITCH DIMENSIONS	17.8 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	690 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	0 kA
FUNCTIONS	Busbar

## Resources

DRAWINGS	<a href="#">eaton-dimensions-mas-zv7-50a.jpg</a>
WIRING DIAGRAMS	<a href="#">eaton-wiring-diagram-versch.jpg</a>

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



**Eaton Corporation plc**  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

